## Metropolitan Water Reclamation District of Greater Chicago

100 EAST ERIE STREET

CHICAGO, ILLINOIS 60611

312 / 751-5600

LC DWPC/RV

BOARD OF COMMISSIONERS

Nicholas J. Melas President Nancy Drew Sheehan Vice President Gloria Alitto Majewsio Chairman, Committee on Finance Thomas S. Fuller Frank F. Gardner Joseph E. Gardner Kathleen Therese Meany Terrence J. O'Brien

Harry "Bus" Yourell

**CECIL LUE-HING** Director of Research & Development

January 10, 1992

Mr. Rob Sulski Chicago Area Region Field Operations Section Illinois Environmental Protection Agency 1701 First Avenue Maywood, Illinois 60153

Dear Mr. Sulski:

Progress Report for the 103rd and Doty Subject: Closure Plan for November 1991

This letter transmits information and data for the month of November 1991 on the closure plan for the 103rd and Doty site.

Total amount of sludge delivered to the Doty site in November was 2,776 dry tons.

Total precipitation recorded at the site in November was 4.2 inches.

Construction activities were terminated in late October and will resume in the spring of 1992. Overall completion of Phase II as of the end of October was 30 percent.

EPA Region 5 Records Ctr.

300898

CLH:JG:ns

cc: Chappel (IEPA) Keller (IEPA)

Rogers (IEPA) Gould (IEPA)

DiVita Knight

Murray Neubauer

Hall

Very truly yours,

Cecil Lue-Hing, D.Sc.

Director

Research and Development

لدد RECE TL ENVIRONVINTAL PROTECTION

JAN 1 3 1992

UIV. WATER POLLUTION CONTROL Field Operations Section - Reg. 2



## Metropolitan Water Reclamation District of Greater Chicago

**100 EAST ERIE STREET** 

CHICAGO, ILLINOIS 60611

312 / 751-5600

CECIL LUE-HING

Director of Research & Development

January 10, 1992

Nicholas J. Melas
President
Nancy Drew Sheehan
Vice President
Gloria Alitto Majewski
Chairman, Committee on Finance
Thomas S. Fuller
Frank E. Gardner
Joseph E. Gardner
Kathleen Therese Meany
Terrence J. O'Brien
Harry "Bus" Yourell

BOARD OF COMMISSIONERS

0316000011-200k cr.ago Strorts s sanitation formit Filt

Mr. Harry Chappel, Manager
Compliance Sub-Unit
Compliance Monitoring Section
Division of Land Pollution
Control
Illinois Environmental
Protection Agency
2200 Churchill Road
Springfield, Illinois 62706

Dear Sir:

Subject: 0316000011 - Cook County/Chicago

Department of Streets and Sanitation 103rd Street and Doty Avenue Landfill

Sludge was delivered to the subject site in October and November 1991. Table 1 enclosed presents the mean analysis of sludge delivered to the site during those two months. No sludge was delivered to the site in December 1991.

Very truly yours,

Cecil Lue-Hing, D.Sc.

Director

Research and Development

CLH:JG:ns Enclosure

cc/enc: Cliff Gould (IEPA)

DiVita Garbis Zenz Gschwind

RECEIVED
JAN 1 4 1991

**EPA/DLPC** 

## METROPOLITAN WATER RECLAMATION DISTRICT OF GREATER CHICAGO

TABLE 1

MEAN ANALYSIS OF SLUDGE SHIPPED

TO THE 103rd & DOTY LANDFILL CLOSURE SITE DURING

OCTOBER AND NOVEMBER 1991

Parameter	Units	Concentration
Number of samples pH		11 7.8
pn		7.0
Total solids	४	33.9
Total volatile solids	ž	48.0
N-Kjeldahl	mg/dry kg	39,136
N-NH3	11	3,180
Total P	H	18,460
Zn	н	2,143
Cd	21	81
Cu	Ħ	727
Cr	11	1,256
Fe	II	19,424
Ni	11	157
Pb	11	340
K	11	2,323
Na	11	867
Ca	11	45,360
Mg	11	17,104
Mn	10	691
Hg	11	6.2
Al	17	12,750

JAN 1 4 1991